



Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

DIVIDEND® XL

EPA REG. NO 100-885

EPA SLN NO. ID-990015

Dividend XL is a seed treatment that controls or suppresses certain seed-borne and soil-borne diseases in Spring Barley

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR PEST CONTROL, CROP INJURY, AND/OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Follow all applicable directions, restrictions, and precautions including statements pertaining to the Worker Protection Standards, on the EPA-registered Dividend XL label.

This labeling must be in the possession of the user at the time of application.

DO NOT use on agricultural establishments in hopper-box, planter-box, slurry-box, or other seed-treatment applications at or immediately before planting.

Mixing Procedures

Apply Dividend XL as a water-based slurry through standard slurry or mist type commercial seed treaters. Prepare a slurry by mixing Dividend at the rates in the following table in up to 16 fl. oz. of water per 100 lbs. of seed. Mix the slurry thoroughly with the seed to provide uniform coverage.

Spring Barley

Apply Dividend XL to barley seed at the rates given in the following table:

Rate/CWT	Diseases Controlled	Diseases Partially Controlled ¹
2 fl. oz.	Barley Stripe General Seed Rots ² Fusarium Seed Scab Covered Smut Pythium Damping-Off	Take-All Common Root Rot (<i>Cochliobolus spp.</i>) Fusarium Root Rot Fusarium Crown Rot Rhizoctonia Root Rot
1 fl. oz.	Barley Stripe General Seed Rots ² Fusarium Seed Scab Covered Smut Pythium Damping-Off	Common Root Rot (<i>Cochliobolus spp.</i>) Rhizoctonia Root Rot

¹Partial control can either mean erratic control from good to poor, or consistent control at a level below that generally considered acceptable for commercial disease control.

²General seed rots controlled include those caused by saprophytic organisms, such as *Penicillium* and *Aspergillus*.

Important: (1) **DO NOT** use treated seed for feed, food or oil. (2) **DO NOT** graze, cut for green chop silage or hay or otherwise utilize straw or seed screenings as animal feeds from field in which seeds were planted. (3) **DO NOT** plant any crop other than those on this label within 30 days to fields in which treated seeds were planted.

Note: Federal law requires that bags containing treated seeds shall be labeled with the following information: "This seed has been treated with difenoconazole fungicide. Do not use for feed, food, or oil purposes. Store away from feeds and foodstuffs. Do not plant any crop other than those on this label within 30 days in fields in which treated seeds were planted."

Dividend® trademark of Syngenta

24(c) registrant:
Syngenta Crop Protection, Inc.
P.O. Box 18300
Greensboro, NC 27419-8300

EPA SLN No: ID-990015

Label Code:

Word: IDDividendBarleySLNLb17-28-03